

American POTATO JOURNAL

*Official Organ of
The Potato Association of America*

VOLUME 51
JANUARY-DECEMBER, 1974

Editor-in-Chief
GEDDES W. SIMPSON

THE POTATO ASSOCIATION OF AMERICA

UNIVERSITY OF MAINE

ORONO, MAINE 04473

OFFICERS

ROBERT TREADWAY, *President*ROBERT MERCER, *President-Elect*JOHN A. SCHOENEMANN, *Vice President*ROBERT KUNKEL, *Past President*HUGH J. MURPHY, *Secretary*EDWARD F. JOHNSTON, *Treasurer*

DIRECTORS

DONALD NELSON

N. S. WRIGHT

WILLIAM R. CORRIN

RICHARD CHASE

GARY JOHNSTON

EDITORIAL BOARD

GEDDES W. SIMPSON, *Editor-in-Chief*

ROBERT V. AKELEY

ROBERT PLAISTED

HENRY M. DARLING

WILLIAM PORTER

ARTHUR HAWKINS

LIND SANFORD

PETER H. HEINZE

WAYLAND SHANDS

JAMES B. KRING

ROY SHAW

ROBERT KUNKEL

WALTER SPARKS

DONALD NELSON

MERLE WEAVER

JOSEPH J. PAVEK

N. S. WRIGHT

INDEX TO VOLUME 51 AUTHOR AND TITLE INDEX

- ALLEN, E. J., *see* Ifenkwe, O. P.
 BAILEY, D. L., *see* Easton, G. D.
 BATTEESE, R. I., Jr., *see* Langille, A. R.
 BISHOP, J. C., *see* Lorenz, O. A.
 BOE, A. A., G. W. WOODBURY and T. S. LEE. Respiration Studies on Russett Burbank potato tubers: Effects of storage temperature and chemical treatment, 355-360
 BREWER, J. W., *see* Molina, J.
 CALLIHAN, R. H., *see* Davis, J. R.
 CASE, R. W. Harvest date and yielding potential of Onaway and Sebago seed potatoes, 50-55
 COOTE, G. G., *see* McBean, D. McG.
 CROZIER, J. A., *see* Sekioka, T. T.
 DALLYN, S. L. and D. H. FRICKE. The use of minimum tillage plus herbicides in potato production, 177-184
 DAVIES, H. T. and G. R. JOHNSTON. Reliability of potato selection in the first clonal generation, 8-11
 DAVIS, J. R., J. G. GARNER and R. H. CALLIHAN. Effects of gypsum, sulfur, terraclor and terraclor super-x for potato scab control, 35-43
 DEAHL, K. L., M. E. GALLEGLY and R. J. YOUNG. Laboratory testing of potato tubers for multigenic resistance to late blight, 324-329
 DEAN, B. B., *see* Smittle, D. A.
 DESBOROUGH, S. I., A. C. KAPOOR and I. E. DIENER. The occurrence of methionine sulfoxide in potato tubers after acid hydrolysis, 369-372.
 DESBOROUGH, S. I. and C. J. WEISER. Improving potato protein I. Evaluation of selection techniques, 185-196
 DIENER, I. E., *see* Desborough, S. I.
 DINKEL, D. H., *see* McCown, Deborah D.
 DOUGLAS, D. R. and M. D. GROSKOPP. Control of early blight in eastern and south central Idaho, 361-368
 EASTON, G. D., M. E. NAGLE and D. L. BAILEY. Fumigants, rates, and application methods affecting verticillium wilt incidence and potato yields, 71-77
 EVERHART, E. R. and P. R. ROWE. Disomic inheritance of anthocyanins and flavonol glycosides in the tetraploid tuber-bearing potato species *Solanum stoloniferum*, 287-294
 FITZPATRICK, T. J. and S. F. OSMAN. A comprehensive method for the determination of total potato glycoalkaloids, 318-323
 FORSYTH, F. R. *see* Poapst, P. A.
 FRICKE, D. H., *see* Dallyn, S. L.
 GALLEGLY, M. E., *see* Deahl, K. L.
 GARNER, J. G., *see* Davis, J. R.
 GEE, M., C. C. HUXSOLL and R. P. GRAHAM. Acidification of "dry" caustic peeling waste by lactic acid fermentation, 126-131
 GRAHAM, R. P., *see* Gee, M.
 GROSKOPP, M. D., *see* Douglas, D. R.
 HARRISON, M. D., *see* Soltanpour, P. N., *see also* Molina, J.
 HELGESON, J. P., *see* Zalewski, J. C.
 HOGAN, J. M., *see* Murphy, Elizabeth
 HOLLAND, R. C., *see* Hoyman, Wm. G.
 HOYMAN, WM. G. Consequence of planting Norgold Russet seed infected with *Verticillium albo-atrum*, 22-25
 HOYMAN, WM. G. Reaction of *Solanum tuberosum* and *Solanum* species to *Meloidogyne hapla*, 281-286
 HOYMAN, WM. G. and R. C. HOLLAND. Nooksack: A russet potato adapted to north-western Washington, 99-102
 HUXSOLL, C. C., *see* Gee, M.
 IFENKWE, O. P., E. J. ALLEN and D. C. E. WURR. Factors affecting the relationship between tuber size and dry matter content, 233-241
 IRITANI, W. M. and LARRY WELLER. Some factors influencing shear force determinations of Norgold Russet and Russet Burbank potatoes, 90-98
 IRITANI, W. A. and L. WELLER. Some factors influencing the pH of apical and basal portions of Russet Burbank and Norgold Russet potatoes, 119-125
 IRITANI, W. H. and L. WELLER. Objective measurement of french fry color, 170-173

- ITO, P. J., *see* Sekoika, T. T.
JOHNSON, G., *see* Mizicko, J.
JOHNSTON, G. R., *see* Davies, H. T.
JONES, E. D. and J. M. MULLEN. The effect of potato virus x on susceptibility of potato tubers to *Fusarium roseum* 'Avenaceum', 209-215
KAPOOR, A. C. *see* Desborough, S. I.
KELMAN, A., *see* Zalewski, J. C.
KIDANE-MARIAM, HAILE-MICHAEL and S. J. PELOQUIN. The effect of direction of hybridization ($4x \times 2x$ vs. $2x \times 4x$) on yield of cultivated potatoes, 330-336
LANGILLE, A. R. and R. I. BATTEESE. Influence of zinc concentration in nutrient solution on growth and elemental content of the Katahdin potato plant, 345-354
LARMOND, ELIZABETH, *see* Poisey, Peter W.
LAUGHLIN, W. M., P. F. MARTIN and G. R. SMITH. Lime and phosphorus influence Kennebec potato yield and chemical composition, 393-402.
LEE, HEIYOUNG K., *see* Mok, D. W. S.
LEE, T. S., *see* Boe, A. A.
LIGHTFOOT, H. J., *see* Poapst, P. A.
LIVINGSTON, C. H., *see* Mizicko, J.
LORENZ, O. A., B. L. WEIR and J. C. BISHOP. Effect of sources of nitrogen on yield and nitrogen absorption of potatoes, 56-65
McBEAN, D. McG. and G. G. COOTE. Quality tests of potato varieties in Australia, 165-169
McCOWN, DEBORAH D. and D. H. DINKEL. Shoot inhibition in *Solanum tuberosum* L. Response to ammonium and nitrate nitrogen sources, 223-228
McCRACKEN, R. J. Release of Snowchip, a new variety suitable for processing in Alaska, 66-67
MANZER, F. E. and D. C. MERRIAM. Importance of overwintered early blight-infected potato vines in Maine, 418-419
MARTIN, P. F., *see* Laughlin, W. M.
MERRIAM, D. C., *see* Manzer, F. E.
MIZICKO, J., C. H. LIVINGSTON and G. JOHNSON. The effects of dihydroquercetin on the cut surface of seed potatoes, 216-222
MOK, D. W. S., *see* Quinn, A. A.
MOK, D. W. S., HEIYOUNG K. LEE and S. J. PELOQUIN. Identification of potato chromosomes with Giesma, 337-342
MOLINA, J., M. D. HARRISON and J. W. BREWER. Transmission of *Erwinia carotovora* var. *atroseptica* by *Drosophila melanogaster* L. Acquisition and transmission of the bacterium, 245-250
MOSHER, PAUL N. Call for nominations for Honorary Life Membership, 34
MULLEN, J. M., *see* Jones, E. D.
MURPHY, ELIZABETH F., RUTH H. TRUE, J. M. HOGAN and H. J. MURPHY. The flavor of small immature tubers compared with mature Katahdin tubers, 115-118
MURPHY, H. J., *see* Murphy, Elizabeth F.
MURPHY, HUGH J. and RUTH H. TRUE. Elizabeth F. Murphy honored, 274-275
MURPHY, HUGH J. Call for papers for Annual Meeting, 34
NAGLE, M. E., *see* Easton, G. D.
NELSON, D. C. and M. C. THORESON. Effect of root pruning and sub-lethal rates of dinoseb on hollow heart of potatoes, 132-138
NELSON, G. A. and W. E. TORFASON. Associative effects of leaf roll and ring rot on disease expression and yield of potatoes, 12-15
O'KEEFE, ROBERT B. Frank E. Garrett honored, 276-277
ONAGER, T. A. A sequential sampling plan for classifying investigations of southern potato wireworm, 313-317
OORAİKUL, B. Objective method for evaluation of texture of dehydrated mashed potatoes using sensory evaluation as a guideline, 105-114
OSMAN, S. F., *see* Fitzpatrick, T. J.
PELOQUIN, S. J., *see* Quinn, A. A., *see also* Kidane-Mariam, *see also* Mok, D. W. S.
PETERSON, C. L., *see* Smittle, D. A.
POAPST, R. A., H. J. LIGHTFOOT and F. R. FORSYTH. A quick method of obtaining samples for the estimation of carbon dioxide, oxygen and volatiles in the potato tuber, 197-201
QUINN, A. A., D. W. S. MOK and S. J. PELOQUIN. Distribution and significance of diplandroids among diploid solanums, 16-21
REEVE, R. M. Relevance of immature tuber periderm to high commercial peeling losses, 254-262
ROWE, P. R., *see* Everhart, E. R.

- SANFORD L. L. and J. P. SLEESMAN. Selection for resistance to potato leafhopper in potatoes, 44-49
- SEKIOKA, T. T., P. J. ITO, J. A. CROZIER and J. S. TANAKA. Waimea: A new subtropical adapted potato cultivar, 229-232
- SLEESMAN, J. P., *see* Sanford, L. L.
- SMITH, G. R., *see* Laughlin, W. M.
- SMITTLE, D. A., R. E. THORNTON, C. L. PETERSON and B. B. DEAN. Harvesting potatoes with minimum damage, 152-164
- SOLTANPOUR, P. N. and M. D. HARRISON. Interrelationships between nitrogen and phosphorus fertilization and early blight control of potatoes, 1-7
- SOWOKINOS, J. R., *see* Varns, J. L.
- STARK, R., *see* Voisey, Peter W.
- TANAKA, J. S., *see* Sekioka, T. T.
- THORESON, M. C., *see* Nelson, D. C.
- THORNTON, R. E., *see* Smittle, D. A.
- TORFASON, W. E., *see* Nelson, G. A.
- TRUE, RUTH H., *see* Murphy, Elizabeth F., *see also* Murphy, Hugh J.
- VARNS, J. L. and J. R. SOWOKINOS. A rapid micro-starch quantitation method for potato callus and its application with potato tubers, 383-392
- VOISEY, PETER W., ELIZABETH LARMOND and R. STARK. Sensory and instrumental measurement of french-fry limpness, 78-89
- WEIR, B. L., *see* Lorenz, O. A.
- WEISER, C. J., *see* Desborough, S. L.
- WELLER, LARRY, *see* Iritani, W. M.
- WOODBURY, G. W., *see* Boe, A. A.
- WRIGHT, N. S. Potato virus x infection of Nette Gem potato, 202-205
- WRIGHT, N. S. Retention of infectious potato virus x on common surfaces, 251-253
- WURR, D. C. E., *see* Ifenkwe, O. P.
- YOUNG, R. J., *see* Deahl, K. L.
- ZALEWSKI, J. C., J. P. HELGESON and A. KELMAN. A method for large scale laboratory inoculation of potato tubers with late blight fungus, 403-410

SUBJECT INDEX

- Abstracts of papers presented at 58th Annual Meeting, 278, 295
- Acid hydrolysis of potato tubers, methionine sulfoxide in, following, 369
- Acidification of "dry" caustic peeling waste by lactic acid fermentation, 126
- Acquisition and transmission of the bacterium *Erwinia carotovora* by *Drosophila melanogaster*, 245
- Alaska, release of Snowchip suitable for processing in, 166
- Ammonium nitrogen sources, effect on shoot inhibition in *Solanum tuberosum*, 223
- Anthocyanins, disomic inheritance of, in tetraploid species of *Solanum stoloniferum*, 287
- Apical and basal portions, factors influencing pH of, of Russet Burbank and Norgold Russet potatoes, 119
- Application methods of fumigants affecting verticillium wilt, 71
- Association sections, 1974-1975, 373
- Australia, quality tests of potato varieties in, 165
- Basal portions of potatoes, factors influencing pH of, 119
- Book announcements:
- Fungicide and nematicide tests results, of 1973, 103
 - Potato lover's diet cookbook, 139
- Call for nominations for Honorary Life Memberships, 383
- Call for papers for annual meeting, 420
- Callus tissue, micro-starch quantitation method, 383
- Carbon dioxide, quick method of obtaining samples for estimation of, 197
- Caustic peeling waste, acidification of "dry", by lactic acid fermentation, 126
- Chip color, potato, 242
- Chromosomes, identification of, with Giesma, 337
- Classifying investigations of southern potato wireworm, 313
- Color, french fry, objective measurement of, 170
- Commercial peeling losses, relevance of immature tuber periderm to, 254
- Committees for 1974-1975, 373
- Damage, harvesting potatoes with minimum, 152
- Dehydrated mashed potatoes, evaluation of by sensory methods, 105

- Determinations, factors influencing shear force, 90
Dihydroquercetin, effect of, on cut surface of seed potatoes, 216
Dinoseb, sub-lethal rates of, effect on hollow heart of potatoes, 132
Diploid solanums, significance of diplandroids among, 16
Direction of hybridization ($4x \times 2x$ vs. $2x \times 4x$) on yield of potatoes, 330
Diseases:
 Early blight, a source of infection in Maine, 418
 Early blight, control of, 361
 Early blight-infected potato vines, importance when overwintered, 418
 Erwinia carotovora, transmission of, by *Drosophila melanogaster*, 245
 Hollow heart, effect of root pruning and dinoseb on, 132
 Late blight, multigenic resistance to, 324
 Leaf roll, effect of, on yield, 12
 Potato virus x, retention on common surfaces, 251
 Potato virus x infection of netted Gem potato, 202
 Ring rot, effect of, on yield, 12
 Scab control, effects of gypsum, sulfur, terraclor and terraclor super-x for, 35
 Verticillium albo-atrum, effect of, on Norgold Russet seed, 22
 Verticillium wilt, fumigants affecting, 71
Disomic inheritance of anthocyanins and flavonol glycosides in *Solanum stoloniferum*, 287
Drosophila melanogaster, transmission of *Erwinia carotovora* by, 245
Dry matter content and tuber size, relationship between, 233
Early blight control, as related to fertilization, 1
Early blight, control of, 361
Effect of direction of hybridization ($4x \times 2x$ vs. $2x \times 4x$) on yield of potatoes, 330
Effect of potato virus x on susceptibility of tubers to *Fusarium roseum* 'Avenaceum', 209
Effects of certain chemical treatments on respiration of Russett Burbank potato tubers, 355
Effects of leaf roll and ring rot on disease expression and yield, 12
Effects of storage temperature on respiration of Russett Burbank potato tubers, 355
Elemental content of Katahdin potato plant, effect of zinc concentration on, 345
Erwinia carotovora var. *atroseptica* transmission of, by *Drosophila melanogaster*, acquisition and transmission of the bacterium, 245
Estimation of carbon dioxide, oxygen and volatiles in potato tubers, 197
Evaluation of selection techniques for improving potato protein, 185
Evaluation of texture of dehydrated mashed potatoes, 105
Exports, potato, to Japan, 206
Factors influencing shear force determinations of Norgold Russet and Russet Burbank, 90
Factors influencing pH of apical and basal portions of Russet Burbank and Norgold Russet potatoes, 119
Factors affecting tuber size and dry matter content, 233
Fermentation, lactic acid, acidification of 'dry' caustic peeling waste by, 126
Fertilization:
 Ammonium nitrogen sources, effect on shoot inhibition, 223
 Gypsum, effect on potato scab, 35
 Nitrogen and phosphorus, effect on early blight, 1
 Nitrogen sources, effect on yield and nitrogen absorption, 56
 Sulfur, effect on potato scab, 35
First clonal generation, reliability of potato selection in, 8
Flavonol glycosides, disomic inheritance of, in *Solanum stoloniferum*, 287
Flavor of small immature tubers compared with mature Katahdin tubers, 115
French-fry color, objective measurement of, 170
French-fry limpness, sensory and instrumental measurement of, 78
Fumigants, rates and application methods of, affecting *verticillium* wilt, 71
Fusarium roseum 'Avenaceum', effect of potato virus x on susceptibility of potato tubers to, 209
Giesma, identification of potato chromosomes with, 337
Glycoalkaloids, total potato, method for determination of, 318
Glycosides, flavonol, disomic inheritance of, in *Solanum stoloniferum*, 287
Growth of Katahdin plant, effect of zinc concentration on, 345
Gypsum, effect of, on potato scab control, 35
Harvest date and yielding potential of Onaway and Sebago seed, 50
Harvesting potatoes with minimum damage, 152
Herbicides plus minimum tillage, use of, in potato production, 177
Hollow heart, effect of root pruning and dinoseb on, 132
Honorary Life Memberships, call for, 383

- Hybridization ($4x \times 2x$ vs. $2x \times 4x$), effect of direction of, on yield, 330
Identification of potato chromosomes with Giesma, 337
Index to volume 51, 411
Immature tubers, flavor of, compared with mature Katahdin tubers, 115
Immature tuber periderm, relevance of, to high commercial peeling losses, 254
Improving potato protein, evaluation of selection techniques for, 185
Indian Potato Association, 243
Infectious potato virus x, retention on common surfaces, 251
Instrumental and sensory measurement of french-fry limpness, 78
International Potato Center news letter, 67, 174
Insects:
 Drosophila melanogaster, transmission of *Erwinia carotovora* by, 245
 Leaf hopper, potato, selection for resistance to, 44
 Meloidogyne hapla, reaction of *Solanum* species to, 281
 Wireworm, southern potato, classifying, 313
Japan, potato exports to, 206
Katahdin mature tubers, flavor of, compared with immature tubers, 115
Kennebec tubers, influence of lime and phosphorus on, 393
Laboratory method—inoculating tubers with late blight organism, 403
Laboratory testing of potatoes for multigenic resistance to late blight, 324
Lactic acid fermentation, acidification of "dry" caustic peeling waste by, 126
Late blight, laboratory method of inoculating tubers, 403
Late blight, testing for multigenic resistance to, 324
Leaf hopper, selection for resistance to, 44
Leaf roll and ring rot, associative effects of, on disease expression and yield, 12
Lime—influence on yield and chemical content of Kennebec tubers, 393
Limpness, french-fry, sensory and instrumental measurement of, 78
Mashed potatoes, dehydrated, evaluation of texture of, 105
Mature Katahdin tubers, flavor of, compared with immature tubers, 115
Measurement of french-fry limpness, 78
Meloidogyne hapla, reaction of *Solanum tuberosum* and *Solanum* species to, 281
Methionine sulfoxide, in potato tubers, 369
Method, quick, of sampling for estimation of carbon dioxide, oxygen and volatiles in tubers, 197
Method for determination of total potato glycoalkaloids, 318
Micro-starch quantitation method for potato callus, 383
Minimum tillage plus herbicides in potato production, 177
Multigenic resistance to late blight, laboratory testing of potato tubers for, 324
Netted Gem, potato virus x infection of, 202
Nitrate nitrogen sources, effect on shoot inhibition in *Solanum tuberosum*, 223
Nitrogen and phosphorus fertilization and early blight, 1
Nitrogen sources, vs. yield and nitrogen absorption of potatoes, 56
Nooksack, a russet potato adapted to northwestern Washington, 99
Norgold Russet, consequence of planting, infected with *Verticillium albo-atrum*,
Norgold Russet, factors influencing shear force determinations of, 90
Norgold Russet, factors influencing pH of apical and basal portions of, 119
Nutritional study, Potato Board instigates, 343
Objective measurement of french fry color, 170
Objective method of evaluation of texture of dehydrated mashed potatoes, 105
Onaway, harvest date and yielding potential of, seed, 50
Oxygen, quick method of obtaining samples for estimation of, 197
PAA director, E. D. Jones, promoted, 207
Peeling losses, relevance of immature tuber periderm to, 254
Periderm, immature tuber, relation to commercial peeling losses, 254
PH, factors influencing, of apical and basal portions of potatoes, 119
Phosphorus fertilization and early blight control, 1
Phosphorus—influence on yield and chemical content of Kennebec tubers, 393
Potato Association of America, The
 Abstracts of papers presented at 58th Annual Meeting, 278, 295
 Annual Meeting highlights, 242
 Call for nominations for Honorary Life Membership, 34
 Call for papers for Annual Meeting, 34 and 420
 Committees for 1973-74, 26
 Committees for 1974-75, 373

Honorary Life Members:

Frank E. Garrett, 276

Elizabeth F. Murphy, 274

Invitation to P.A.A. committee membership, 343

Membership dues increased to \$15.00, 272

Minutes of executive committee and business meetings, 263

Pre-registration form for Annual Meeting, 38

Program of 58th Annual Meeting, 141

Potato Board instigates nutritional study, 343

Potato chip color, 242

Potato glycoalkaloids, total, method for determination of, 318

Potato leafhopper, selection for resistance to, 44

Potato protein, evaluation of selection techniques for improving, 185

Potato selection, reliability of, in first clonal generation, 8

Potato tubers, laboratory method of inoculating with late blight fungus, 403

Potato tubers, micro-starch quantitation method for potato callus in, 383

Potato variety quality tests in Australia, 165

Potato virus x, effect of, on susceptibility of potato tubers to *Fusarium roseum* 'Avenaceum' 209

Potato virus x, infection of Netted Gem potato with, 202

Potato virus x, retention of infectious, on common surfaces, 251

Potato yields, influence of lime and phosphorus on Kennebec tubers, 393

Processing:

Caustic peeling waste, acidification of by lactic acid fermentation, 126

Chip color, 242

Dehydrated mashed potato texture evaluation, 105

French fry color measurement, 170

French fry limpness measurement, 78

Peeling losses related to immature periderm in tubers, 254

Snowchip variety suited for processing in Alaska, 66

Production, the use of minimum tillage plus herbicides in, 177

Protein, improving potato, evaluation of selection technique for, 185

Quality tests of potato varieties in Australia, 165

Reaction of *Solanum tuberosum* and *Solanum* species to *Meloidogyne hapla*, 281

Reliability of potato selection in the first clonal generation, 8

Resistance, multigenic, to late blight, testing for, 324

Resistance, selection for, to potato leafhopper, 44

Respiration studies on Russett Burbank potato tubers, 355

Retention of infectious potato virus x on common surfaces, 251

Ring rot and leaf roll, effect of, on disease expression and yield, 12

Root pruning and sub-lethal rates of dinoseb, effect of, on hollow heart, 132

Russet Burbank, factors influencing shear force determinations of, 90

Russet Burbank, factors influencing pH of apical and basal portions of, 119

Scab control, effects of gypsum, sulfur, terraclor and terraclor super-x for, 35

Sebago, harvest date and yielding potential of, seed, 50

Seed potatoes, effects of dihydroquercetin on cut surface of, 216

Selection for resistance to potato leafhopper in potatoes, 44

Selection techniques, evaluation of, for improving potato protein, 185

Sensory and instrumental measurement of french-fry limpness, 78

Sensory evaluation as a guideline for evaluation of dehydrated potatoes, 105

Sequential sampling plan for classifying investigations of southern potato wireworm, 313

Shear force determinations, factors influencing, of Norgold Russet and Russet Burbank, 90

Shoot inhibition in *Solanum tuberosum*, response to nitrogen sources, 223

Snowchip, release of, a new variety suitable for processing in Alaska, 66

Solanums, diploid, significance of diplandroids among, 16

Solanum stoloniferum, disomic inheritance of anthocyanins and flavonol glycosides in, 287*Solanum tuberosum* and *Solanum* species, reaction to *Meloidogyne hapla*, 281*Solanum tuberosum*, shoot inhibition in, response to nitrogen sources, 223

Southern potato wireworm, sampling plan for classifying investigations of, 313

Sub-tropical adapted potato cultivar, Waimea a new, 229

Sulfur, effect of, on potato scab control, 35

Terraclor, effect of, on potato scab control, 35

Terraclor super-x, effect of, on potato scab control, 35

Tetraploid tuber bearing species *Solanum stoloniferum*, disomic inheritance in, 287

Texture of dehydrated mashed potatoes, evaluated, 105

- Transmission of *Erwinia carotovora* var. *atroseptica*, by *Drosophila melanogaster*, acquisition and transmission of the bacterium, 245
- Tuber size and dry matter content, relationship between, 233
- Varieties:
- Katahdin mature tuber flavor compared with immature tubers, 115
 - Netted Gem, potato virus x infection of, 202
 - Nooksack, a russet potato adapted to northwestern Washington, 99
 - Norgold Russet, effect of *Verticillium albo-atrum* on seed of, 22
 - Norgold Russet, factors affecting shear force determinations of, 90
 - Onaway, yielding potential of, 50
 - Sebago, harvest date and yielding potential of, 50
 - Snowchip, release of, a new variety for processing in Alaska, 66
 - Russet Burbank, factors affecting shear force determinations of, 90
 - Russet Burbank, factors influencing pH of, 119
 - Waimea, a new sub-tropical adapted potato cultivar, 229
- Volatiles, quick method of obtaining samples for estimation of, 197
- Waimea, a new sub-tropical adapted potato cultivar, 229
- Washington, Nooksack a russet potato adapted to northwestern, 99
- Wireworm, southern potato, sampling plan for classifying investigations of, 313
- Yield, effect of leaf roll and ring rot on, 12
- Yield, effect of sources of nitrogen on, and nitrogen absorption, 56
- Yielding potential of Onaway and Sebago, 50
- Yields, effect of fumigants on verticillium wilt and, 71
- Zinc concentration, effect on growth and elemental content of Katahdin potato plant, 345



